

Lighting Your Life Since 1970

Product Specifications - 1129FSBZ			
Job Name:	Job Type:		
Quantity:	Comments		



1129FSBZ

Knoxville 1-Light Outdoor Hanging Lantern

Finish Bronze

Glass/Shade

Measurements

Canopy Height

Canopy Length

Product Category

Frosted Seedy

Outdoor Hanging Lantern

Lamping

Lamping	
Number of Bulbs	1
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	100
Rated Life	
Rated Lumens	±0
Color Temp	
Bulb(s)	Not Included
Light Úp/Down	N/A
Light Úp/Down Beam Spread	N/A N/A
•	
Beam Spread	N/A
Beam Spread CRI	N/A N/A
Beam Spread CRI Photo Cell Included	N/A N/A N/A

Width	11.00"
Height	17.25"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	6.42 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A

Shipping	
Carton Weight	7.04 lbs
Carton Width	14
Carton Height	22
Carton Length	14
Carton Cubic Feet	2.4
Master Pack	•
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

_				
\sim	v4ifi	~~	4ir	m
LE	rtifi	La	HC.	,,,

Certification		Other	
Safety Rating	Damp	UPC Code	783209107625
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	N/A

₽q	uı	vai	en	ts

N/A

N/A

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.