


Lighting Your Life Since 1970

Product Specifications - 2657MRPE		
Job Name:	Job Type:	
Quantity:	Comments	



2657MRPE

Pacific 5-Light Chandelier



Finish

Pewter

Lamping

Number of Bulbs 5 **Light Type** Incandescent **Bulb Type** MB Max Bulb Wattage 100 Max Fixture Wattage 500 Rated Life ±2,500 Hours **Rated Lumens** ±5,750 Color Temp ±2,700 K Bulb(s) Not Included Light Up/Down N/A **Beam Spread** N/A N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No **Dimmable** Standard

Glass/Shade

Marble

Measurements

Width 26.75" Height 21.00" Length N/A Extension N/A **Back Plate Width** N/A **Back Plate Height** N/A HCO N/A Min Overall Height 0.00" Max Overall Height N/A **Hanging Weight** 11.53 lbs **Height Adjustable** N/A Slope N/A **Chain Length** 36" Wire Length 180" **Canopy Width** N/A N/A **Canopy Height Canopy Length** N/A

Product Category

Down Light Chandelier

Shipping

Cilipping	
Carton Weight	18.35 lbs
Carton Width	22"
Carton Height	10"
Carton Length	25"
Carton Cubic Feet	3.26
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Safety Rating Dry **Energy Star** No CA Title 24 No CA Title 20 No **ADA** No Dark Sky N/A

Other	
UPC Code	783209265707
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Iron

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.