

Lighting Your Life Since 1970

Product Specifications - 3340WFBO			
Job Name:	Job Type:		
Quantity:	Comments		



3340WFBO

Radcliffe 1-Light Medium Outdoor Post

Finish Glass/Shade **Product Category** Outdoor Pole/Post Mount Black Oxide Weathered Frost

Measurements

Canopy Width

Canopy Height

Canopy Length

Lamping	
Number of Bu	Į
Light Type	

Number of Bulbs	1
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	100
Rated Life	
Rated Lumens	±0
Color Temp	
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N/A

Width	9.00"
Height	17.50"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	4.75 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A

N/A

N/A

N/A

ALUMINUM

Shipping	
Carton Weight	5.94 lbs
Carton Width	11"
Carton Height	20"
Carton Length	11"
Carton Cubic Feet	1.40
Master Pack	4
Master Pack Weight	24.50 lbs
Master Pack Width	22.75"
Master Pack Height	21.00"
Master Pack Length	22.75"
Master Cubic Feet	6.29
UPS Shippable	Yes

Certification	Other	•	
Safety Rating	Wet UPC 0	Code	783209112681
Energy Star	No Shade	es Included	N/A
CA Title 24	No Crysta	als Included	N/A
CA Title 20	No Diffus	ser Included	N/A
ADA	No Conve	ersion Kit	N/A
Dark Sky	N/A Mater	ial	DIE CAST

Equivalents	
Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.