




Lighting Your Life Since 1970

Product Specifications - 6102AL

Job Name:	Job Type:
Quantity:	Comments:



6102AL
Lightray 2-Light Wall Sconce



Height from center of outlet to the top of the fixture

Finish

Brushed Aluminum

Glass/Shade

Product Category

Outdoor Wall Mount

Lamping

Number of Bulbs	2
Light Type	Incandescent
Bulb Type	R30 MB
Max Bulb Wattage	75
Max Fixture Wattage	150
Rated Life	
Rated Lumens	±0
Color Temp	
Bulb(s)	Not Included
Light Up/Down	BOTH
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	N/A

Measurements

Width	5.00"
Height	15.75"
Length	N/A
Extension	8"
Back Plate Width	N/A
Back Plate Height	N/A
HCO	5.20"
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	3.75 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping

Carton Weight	4.19 lbs
Carton Width	8"
Carton Height	18"
Carton Length	10"
Carton Cubic Feet	0.81
Master Pack	4
Master Pack Weight	16.76 lbs
Master Pack Width	16.34"
Master Pack Height	19.09"
Master Pack Length	21.06"
Master Cubic Feet	3.80
UPS Shippable	Yes

Certification

Safety Rating	Wet
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No
Dark Sky	N/A

Other

UPC Code	783209109988
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	N/A

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.