

Product	<b>Specifications</b>	for	F93829-	102SN
1 IOGGC	Opcomodions	101		102011

Job Name:	Job Type:
Quantity:	Comments



## E93829-102SN

Lava 13-Light RapidJack Pendant and Canopy

21.00"

N/A

N/A 120.00"

21.0"

845094056317

2.5"

N/A

**Finish** Satin Nickel

Lamping

Number of Bulb(s)	13
Light Type	Xenon
Bulb Type	12V GY6.35 T4
Max Bulb Wattage	50
Max Fixture Wattage	650
Rated Life	±2,000 Hours
Rated Lumens	±9,750
Color Temp	±2,900 K
Bulb(s) Included	Yes
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Low-Voltage

Glass/Shade Amber Lava

Measurements

13	Width
non	Height
5 T4	Length
50	Extension
650	Back Plate Wi
ours	<b>Back Plate He</b>
750	HCO
00 K	Min Overall He
Yes	Max Overall H
N/A	<b>Hanging Weig</b>
N/A	<b>Height Adjust</b>
N/A	Slope
N/A	Chain Length
No	Wire Length
tage	Canopy Width

Other

**UPC Code** 

Material

10.00" N/A N/A Width N/A Height N/A N/A Height N/A 132.50" Height eight 8.60 lb(s) stable Yes

lth Canopy Height **Canopy Length**  **Product Category** 

Multi-Light Pendant

Shipping		
Carton Wei	ght	31.00 lb(s)
Carton Wid	lth	23.00"
Carton Hei	ght	17.00"
Carton Len	gth	23.00"
Carton Cub	oic Feet	N/A
Master Pac	:k	1
Master Pac	k Weight	N/A
Master Pac	k Width	N/A
Master Pac	k Height	N/A
Master Pac	k Length	N/A
Master Cub	oic Feet	N/A
<b>UPS Shipp</b>	able	Yes

Certification

Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No

**Equivalents** 

Incandescent Watts	N/A
Fluorescent Watts	N/A

ET2 Contemporary Lighting and all designs, logos and images © 2014 ET2 Contemporary Lighting. All Rights Reserved. ET2 Contemporary Lighting reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes. Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.