




Lighting Your Life Since 1970

Product Specifications - 12758WTPN

|           |           |
|-----------|-----------|
| Job Name: | Job Type: |
| Quantity: | Comments: |



**12758WTPN**  
**Rondo 8-Light Chandelier**



**Finish**

Polished Nickel

**Glass/Shade**

White

**Product Category**

Single-Tier Chandelier

**Lamping**

|                                   |                 |
|-----------------------------------|-----------------|
| <b>Number of Bulbs</b>            | 8               |
| <b>Light Type</b>                 | Incandescent    |
| <b>Bulb Type</b>                  | CA              |
| <b>Max Bulb Wattage</b>           | 60              |
| <b>Max Fixture Wattage</b>        | 480             |
| <b>Rated Life</b>                 | ±1,500 Hours    |
| <b>Rated Lumens</b>               | ±5,376          |
| <b>Color Temp</b>                 | ±2,700 K        |
| <b>Bulb(s)</b>                    | Not Included    |
| <b>Light Up/Down</b>              | N/A             |
| <b>Beam Spread</b>                | N/A             |
| <b>CRI</b>                        | N/A             |
| <b>Photo Cell Included</b>        | N/A             |
| <b>Ballast/Driver/Transformer</b> | No              |
| <b>Dimmable</b>                   | Standard Dimmer |

**Measurements**

|                           |           |
|---------------------------|-----------|
| <b>Width</b>              | 38.75"    |
| <b>Height</b>             | 23.50"    |
| <b>Length</b>             | N/A       |
| <b>Extension</b>          | N/A       |
| <b>Back Plate Width</b>   | N/A       |
| <b>Back Plate Height</b>  | N/A       |
| <b>HCO</b>                | N/A       |
| <b>Min Overall Height</b> | 0.00"     |
| <b>Max Overall Height</b> | N/A       |
| <b>Hanging Weight</b>     | 17.72 lbs |
| <b>Height Adjustable</b>  | N/A       |
| <b>Slope</b>              | N/A       |
| <b>Chain Length</b>       | 72"       |
| <b>Wire Length</b>        | 180"      |
| <b>Canopy Width</b>       | N/A       |
| <b>Canopy Height</b>      | N/A       |
| <b>Canopy Length</b>      | N/A       |

**Shipping**

|                           |           |
|---------------------------|-----------|
| <b>Carton Weight</b>      | 30.14 lbs |
| <b>Carton Width</b>       | 36"       |
| <b>Carton Height</b>      | 13"       |
| <b>Carton Length</b>      | 36"       |
| <b>Carton Cubic Feet</b>  | 9.12      |
| <b>Master Pack</b>        | 1         |
| <b>Master Pack Weight</b> | N/A       |
| <b>Master Pack Width</b>  | N/A       |
| <b>Master Pack Height</b> | N/A       |
| <b>Master Pack Length</b> | N/A       |
| <b>Master Cubic Feet</b>  | N/A       |
| <b>UPS Shippable</b>      | Oversize  |

**Certification**

|                      |     |
|----------------------|-----|
| <b>Safety Rating</b> | Dry |
| <b>Energy Star</b>   | No  |
| <b>CA Title 24</b>   | No  |
| <b>CA Title 20</b>   | No  |
| <b>ADA</b>           | No  |
| <b>Dark Sky</b>      | N/A |

**Other**

|                          |              |
|--------------------------|--------------|
| <b>UPC Code</b>          | 783209075368 |
| <b>Shades Included</b>   | N/A          |
| <b>Crystals Included</b> | N/A          |
| <b>Diffuser Included</b> | Yes          |
| <b>Conversion Kit</b>    | N/A          |
| <b>Material</b>          | N/A          |

**Equivalents**

|                           |     |
|---------------------------|-----|
| <b>Incandescent Watts</b> | N/A |
| <b>Fluorescent Watts</b>  | N/A |

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.