

Lighting Your Life Since 1970

Product Specifications - 2001ET			
Job Name:	Job Type:		
Quantity:	Comments		



2001ET Outdoor Essentials Cast Pier Mount

Finish	Glass/Shade	Product Category
Earth Tone		Outdoor Accessories

Lamping		Meas
Number of Bulbs	N/A	Widtl
Light Type	N/A	Heigl
Bulb Type		Leng
Max Bulb Wattage	N/A	Exter
Max Fixture Wattage		Back
Rated Life		Back
Rated Lumens		HCO
Color Temp		Min C
Bulb(s)	Not Included	Max (
Light Up/Down	N/A	Hang
Beam Spread	N/A	Heigl
CRI	N/A	Slope
Photo Cell Included	N/A	Chair
Ballast/Driver/Transformer	No	Wire
Dimmable	N/A	Cano

Measurements	
Width	6.00"
Height	3.50"
Length	6.00"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	0.44 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Obtain a torus	
Shipping	
Carton Weight	0.60 lbs
Carton Width	6
Carton Height	4
Carton Length	6
Carton Cubic Feet	0.07
Master Pack	3
Master Pack Weight	5.65 lbs
Master Pack Width	12.75
Master Pack Height	7.50
Master Pack Length	12.75
Master Cubic Feet	0.7
UPS Shippable	Yes
• •	

Certification		Other		Equivalents	
Safety Rating	N/A	UPC Code	783209007208	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	Aluminum		

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.