


## Lighting Your Life Since 1970

### Product Specifications - 21148SCRE Job Name: Job Type: Quantity: Comments



#### 21148SCRE **Luminous 6-Light Chandelier**



**Finish** Rustic Ebony

Lamping

Lamping	
Number of Bulbs	6
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	60
Max Fixture Wattage	
Rated Life	±2,500 Hours
Rated Lumens	±4,032
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

ass	SI	ia	de

Stone Candle

Measurements	
Width	5.00"
Height	17.00"
Length	45.00"
Extension	N/A
Back Plate Width	9.50"
Back Plate Height	4.75"
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	29.19 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	180"
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

### **Product Category**

Single-Tier Chandelier

#### Shipping

Shipping	
Carton Weight	32.50 lbs
Carton Width	20"
Carton Height	9"
Carton Length	49"
Carton Cubic Feet	4.78
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification		Other	
Safety Rating	Dry	UPC Code	783209061620
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Steel

# **Equivalents**

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.