

Lighting Your Life Since 1970

Product Specifications - 2123ICOI				
Job Name: Job Type:				
Quantity:	Comments			



Basix 4-Light Bath Vanity



Finish Oil Rubbed Bronze

Number of Bulbs	4
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	400
Rated Life	±2,500 Hours
Rated Lumens	±4,600
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	Both
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

		/cL		_
(7/		\sim n	ıao	ш
-	400			_

Ice

Proal	ıcı Ca	tegory
Dath \	/anity	

Master Cubic Feet

UPS Shippable

Bath Vanity

nents	Shipping

Measurements	
Width	27.50"
Height	8.00"
Length	N/A
Extension	9"
Back Plate Width	5.25"
Back Plate Height	5.25"
HCO	2.62"
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	6.17 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Carton Weight	8.69 lbs
Carton Width	9"
Carton Height	11"
Carton Length	26"
Carton Cubic Feet	1.60
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A

N/A

Certification

Other Damp UPC Code 783209035546 **Safety Rating Energy Star** No Shades Included N/A CA Title 24 No Crystals Included N/A CA Title 20 No Diffuser Included N/A **ADA** No Conversion Kit N/A Dark Sky N/A Material Iron

_				
Eα	uiv	12	Δr	nte
	u	v a i	CI.	ıισ

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.