

## Lighting Your Life Since 1970

Product Specifications - 22305PN				
Jo	b Name:	Job Type:		
Qι	uantity:	Comments		



## 22305PN

Mirage 6-Light Pendant

*Finish*Polished Nickel

Lamping

=ampmg	
Number of Bulbs	6
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	60
Max Fixture Wattage	360
Rated Life	±2,500 Hours
Rated Lumens	±4,032
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

### Glass/Shade

Slope

Measurements

medodi emento	
Width	13.50"
Height	31.00"
Length	32.00"
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	75.00"
Hanging Weight	12.32 lbs
Height Adjustable	N/A

# Chain LengthN/AWire Length180"Canopy WidthN/ACanopy HeightN/ACanopy LengthN/A

## **Product Category**

Single Pendant

## Shipping

120°

Snipping	
Carton Weight	15.84 lbs
Carton Width	16"
Carton Height	12"
Carton Length	35"
Carton Cubic Feet	3.89
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

ertification	Other

		0 (1101	
Safety Rating	Dry	UPC Code	783209094352
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	Yes
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Metal

# Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.