

Lighting Your Life Since 1970

Product Specifications - 24168SBUB			
Job Name:	Job Type:		
Quantity:	Comments		



24168SBUB

Alexander 2-Light Wall Sconce

Finish Umber Bronze

Lamning

Lamping	
Number of Bulbs	
Light Type	
Bulb Type	

CA Max Bulb Wattage 60 Max Fixture Wattage 120 Rated Life ±1,500 Hours **Rated Lumens** ±1,344 Color Temp ±2,700 K Bulb(s) Not Included Light Up/Down N/A **Beam Spread** N/A CRI N/A **Photo Cell Included** N/A Ballast/Driver/Transformer No **Dimmable** Standard Dimmer

Glass/Shade

2

Incandescent

Measur	rements
Width	

Height	19.25"
Length	N/A
Extension	10"
Back Plate Width	4.50"
Back Plate Height	6.75"
HCO	14.00"
Min Overall Height	0.00"
Max Overall Height	N/A
Hanging Weight	5.51 lbs
Height Adjustable	N/A
Slope	N/A
Chain Length	N/A
Wire Length	N/A
Canopy Width	
Canopy Height	
Canopy Length	N/A

Product Category

Wall Sconce

Shippina

14.25"

Shipping	
Carton Weight	7.32 lbs
Carton Width	11"
Carton Height	13"
Carton Length	17"
Carton Cubic Feet	1.37
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Certification		Other	
Safety Rating	Dry	UPC Code	783209095465
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Metal

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.