

## Lighting Your Life Since 1970

Product Specifications - 25082ACP/BUI				
Job Name:	Job Type:			
Quantity:	Comments			

4.20 lbs 13" 11" 13" 0.99 1 N/A N/A N/A N/A Yes



## 25082ACP/BUI

Mini Hi-Bay 1-Light Wall Sconce W/Bulb

Finish Glass/Shade Product Category
Antique Copper Wall Sconce

Lamping		Measurements		Shipping	
Number of Bulbs	1	Width	10.75"	Carton Weight	4
Light Type	Incandescent	Height	9.00"	Carton Width	
Bulb Type	MB	Length	N/A	Carton Height	
Max Bulb Wattage	60	Extension	12"	Carton Length	
Max Fixture Wattage	60	Back Plate Width	6.00"	Carton Cubic Feet	
Rated Life		Back Plate Height	6.00"	Master Pack	
Rated Lumens	±0	HCO	N/A	Master Pack Weight	
Color Temp		Min Overall Height	N/A	Master Pack Width	
Bulb(s)	Included	Max Overall Height	N/A	Master Pack Height	
Light Up/Down	N/A	Hanging Weight	4.20 lbs	Master Pack Length	
Beam Spread	N/A	Height Adjustable	N/A	Master Cubic Feet	
CRI	N/A	Slope	N/A	UPS Shippable	
Photo Cell Included	N/A	Chain Length	N/A		
Ballast/Driver/Transformer	No	Wire Length	N/A		
Dimmable	N/A	Canopy Width			
		Canopy Height			
		Canopy Length	N/A		

Certification	Other		Equivalents
Safety Rating	Dry UPC Code	783209027732	Incandescent Watts

Safety Rating	Dry UPC Code	783209027732 <b>In</b>	candescent Watts	N/A
Energy Star	No Shades Included	N/A FI	luorescent Watts	N/A
CA Title 24	No Crystals Included	N/A		
CA Title 20	No <b>Diffuser Included</b>	N/A		
ADA	No Conversion Kit	N/A		
Dark Sky	N/A <b>Material</b>	Metal		

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.