

Lighting Your Life Since 1970

Product Specifications - 25090PN/BUI					
Job Name:	Job Type:				

Comments

. The second
PER MEN

Finish

Lamping

Light Type

Bulb Type

Rated Life

Color Temp

Bulb(s)

CRI

Rated Lumens

Light Up/Down

Photo Cell Included

Ballast/Driver/Transformer

Beam Spread

Dimmable

Polished Nickel

Number of Bulbs

Max Bulb Wattage

Max Fixture Wattage

25090PN/BUI Mini Hi-Bay 1-Light Wall Sconce W/Bulb

Quantity:

Glass/Shade

Measurements Width 8.0 1 Height 15.5 Length MB N Extension 60 1 **Back Plate Width** 60 N **Back Plate Height** Ν нсо ±0 N Min Overall Height Ν Included Max Overall Height N N/A Hanging Weight 5.00 I Height Adjustable N/A N N/A Slope Ν N/A **Chain Length** N No Wire Length N N/A Canopy Width N **Canopy Height** N/A N/A **Canopy Length**

Product Category Wall Sconce

	Shipping	
00"	Carton Weight	5.00 lbs
50"	Carton Width	13"
N/A	Carton Height	15"
11"	Carton Length	13"
N/A	Carton Cubic Feet	1.31
٩/٨	Master Pack	1
N/A	Master Pack Weight	N/A
٩/٨	Master Pack Width	N/A
N/A	Master Pack Height	N/A
lbs	Master Pack Length	N/A
N/A	Master Cubic Feet	N/A
٩/٨	UPS Shippable	Yes
N/A		
۸/A		
N/A		
۸/A		

Certification		Other		Equivalents	
Safety Rating	Dry	UPC Code	783209111103	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A		
CA Title 20	No	Diffuser Included	N/A		
ADA	No	Conversion Kit	N/A		
Dark Sky	N/A	Material	N/A		

Maxim Lighting International and all designs, logos and images © 2014 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.