




Lighting Your Life Since 1970

Product Specifications - 39735FEPC

Job Name:	Job Type:
Quantity:	Comments:



39735FEPC
Taurus LED 18-Light Pendant



*max overall height

Finish

Polished Chrome

Glass/Shade

Fiesta

Product Category

Single Pendant

Lamping

Number of Bulbs	18
Light Type	LED
Bulb Type	LED
Max Bulb Wattage	1
Max Fixture Wattage	
Rated Life	±40,000 Hours
Rated Lumens	±1,494
Color Temp	±3,500 K
Bulb(s)	Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	>80
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Lutron® CL or Leviton® LED Dimmer

Measurements

Width	37.00"
Height	32.00"
Length	N/A
Extension	N/A
Back Plate Width	N/A
Back Plate Height	N/A
HCO	N/A
Min Overall Height	0.00"
Max Overall Height	62.00"
Hanging Weight	44.84 lbs
Height Adjustable	N/A
Slope	120°
Chain Length	N/A
Wire Length	N/A
Canopy Width	N/A
Canopy Height	N/A
Canopy Length	N/A

Shipping

Carton Weight	51.00 lbs
Carton Width	30"
Carton Height	23"
Carton Length	30"
Carton Cubic Feet	11.72
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Oversize

Certification

Safety Rating	Dry
Energy Star	No
CA Title 24	No
CA Title 20	No
ADA	No
Dark Sky	N/A

Other

UPC Code	783209015050
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	N/A

Equivalents

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.