

Lighting Your Life Since 1970

Product Specifications - 4456PC				
Job Name:	Job Type:			
Quantity:	Comments			



4456PC

Essentials 6-Light Bath Vanity

Finish Polished Chrome		Glass/Shade		Product Category Bath Vanity	
Lamping		Measurements		Shipping	
Number of Bulbs	6	Width	36.00"	Carton Weight	3.71 lbs
Light Type	Incandescent	Height	4.25"	Carton Width	5"
Bulb Type	MB	Length	N/A	Carton Height	2"
Max Bulb Wattage	60	Extension	3"	Carton Length	37"
Max Fixture Wattage	360	Back Plate Width	4.00"	Carton Cubic Feet	0.22
Rated Life	±2,500 Hours	Back Plate Height	35.25"	Master Pack	8
Rated Lumens	±4,032		2.14"	Master Pack Weight	29.70 lbs
Color Temp	±2,700 K	Min Overall Height	0.00"	Master Pack Width	10.43"
Bulb(s)	Not Included	Max Overall Height	N/A	Master Pack Height	9.65"
Light Up/Down	Both	Hanging Weight	2.97 lbs N/A	Master Pack Length Master Cubic Feet	37.20" 2.17
Beam Spread CRI	N/A N/A	Height Adjustable	N/A N/A		2.17 Yes
Photo Cell Included		Slope Chain Longth	N/A N/A	UPS Shippable	res
	N/A	Chain Length			
Ballast/Driver/Transformer	No	Wire Length	N/A		
Dimmable	Standard	Canopy Width	N/A		
		Canopy Height	N/A		
		Canopy Length	N/A		
Certification		Other		Equivalents	
Safety Rating	Damp	UPC Code	783209445611	Incandescent Watts	N/A
Energy Star	No	Shades Included	N/A	Fluorescent Watts	N/A
CA Title 24	No	Crystals Included	N/A	i idolosociii vidits	1071
CA Title 20		Diffuser Included	N/A		
	No				
ADA	Yes	Conversion Kit	N/A		
Dark Sky	N/A	Material	Iron		

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.