

## Lighting Your Life Since 1970

Product Specifications - 5843MRPB			
Job Name:	Job Type:		
Quantity:	Comments		



#### **5843MRPB**

## **Essentials 2-Light Semi-Flush Mount**

Finish
Polished Brass

Polished Brass

Lamping

Number of Bulbs	2
Light Type	Incandescent
Bulb Type	MB
Max Bulb Wattage	100
Max Fixture Wattage	200
Rated Life	±2,500 Hours
Rated Lumens	±2,300
Color Temp	±2,700 K
Bulb(s)	Not Included
Light Up/Down	N/A
Beam Spread	N/A
CRI	N/A
Photo Cell Included	N/A
Ballast/Driver/Transformer	No
Dimmable	Standard

G	as	s/S	ha	de

*Measurements* Width

Back Plate Width

**Back Plate Height** 

Min Overall Height

Max Overall Height

**Hanging Weight** 

Chain Length

**Canopy Width** 

**Canopy Height** 

**Canopy Length** 

Wire Length

Height Adjustable

Marble

Height

Length

HCO

Slope

Extension

# Product Category

Semi-Flush Mount

14.75"

14.00"

N/A

0.00"

4.41 lbs

Snipping	
Carton Weight	7.19 lbs
Carton Width	15"
Carton Height	14"
Carton Length	15"
Carton Cubic Feet	1.78
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

### Certification Other

Certification		Other	
Safety Rating	Dry	UPC Code	783209584327
Energy Star	No	Shades Included	N/A
CA Title 24	No	Crystals Included	N/A
CA Title 20	No	Diffuser Included	N/A
ADA	No	Conversion Kit	N/A
Dark Sky	N/A	Material	Iron

### **Equivalents**

Incandescent Watts	N/A
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.