

Lighting Your Life Since 1970

Product Specifications - 87952MRSN		
Job Name:	Job Type:	
Quantity:	Comments	



87952MRSN Flair EE 3-Light Flush Mount



Finis	h
Satin	Nickel

Lamping

Number of Bulbs 3 **Light Type** Fluorescent **Bulb Type** GU24 Max Bulb Wattage 13 Max Fixture Wattage 39 Rated Life ±10,000 Hours **Rated Lumens** ±2,700 Color Temp ±2,700 K Bulb(s) Included Light Up/Down N/A **Beam Spread** N/A 81-82 **Photo Cell Included** N/A Ballast/Driver/Transformer No **Dimmable** No

Glass/Shade

Marble

Measurements Width 17.00" Height 5.00" Length N/A Extension N/A **Back Plate Width** N/A **Back Plate Height** N/A HCO N/A Min Overall Height 0.00" Max Overall Height N/A **Hanging Weight** 4.41 lbs Height Adjustable N/A Slope N/A **Chain Length** N/A Wire Length N/A **Canopy Width** N/A **Canopy Height** N/A **Canopy Length** N/A

Product Category

Flush Mount

Chinning

Snipping	
Carton Weight	6.92 lbs
Carton Width	17"
Carton Height	7"
Carton Length	17"
Carton Cubic Feet	1.21
Master Pack	1
Master Pack Weight	N/A
Master Pack Width	N/A
Master Pack Height	N/A
Master Pack Length	N/A
Master Cubic Feet	N/A
UPS Shippable	Yes

Certification

Safety Rating Dry **Energy Star** Yes CA Title 24 Yes CA Title 20 No **ADA** No Dark Sky N/A

Other	
UPC Code	783209019966
Shades Included	N/A
Crystals Included	N/A
Diffuser Included	N/A
Conversion Kit	N/A
Material	Iron

Equivalents

Incandescent Watts	245
Fluorescent Watts	N/A

Maxim Lighting International and all designs, logos and images © 2015 Maxim Lighting International. All Rights Reserved. Maxim Lighting International reserves the right, at any time, to make changes in the design and/or construction of the product including the discontinuation of product without prior notice. Color may vary from what is pictured above due to limitations inherent to photographic processes.

Always consult a qualified, licensed electrician before installation of any product weighing 35 pounds or more. We recommend that a qualified, licensed electrician do the installation. Always install to a mechanically sound structure.